

シームレス継目無：鋼管（JIS G3459）

SUS 304

外径 (mm)	×	厚さ (mm)	×	長さ (mm)	質量 (kg/m)
2	×	0.5	×	2000	0.0187
2.5	×	0.5	×	2000	0.0249
3	×	0.5	×	2000	0.0311
		1.0	×	2000	0.0498
3.5	×	0.5	×	2000	0.0374
4	×	0.5	×	2000	0.0436
		1.0	×	2000	0.0747
5	×	0.5	×	2000	0.0560
		1.0	×	2000	0.0996
			×	4000	0.0996
		1.5	×	2000	0.131
			×	4000	0.131
6	×	0.5	×	2000	0.0685
			×	4000	0.0685
		0.8	×	4000	0.104
		1.0	×	2000	0.125
			×	4000	0.125
		1.2	×	4000	0.143
		1.5	×	4000	0.168
		2.0	×	4000	0.199
6.35	×	0.5	×	4000	0.0729
		0.889	×	4000	0.121
		1.0	×	2000	0.133
			×	4000	0.133
		1.2	×	4000	0.154
		1.5	×	4000	0.181
7	×	0.5	×	2000	0.0810
			×	4000	0.0810
		0.8	×	4000	0.124
		1.0	×	2000	0.149
			×	4000	0.149
		1.5	×	2000	0.206
			×	4000	0.206
		2.0	×	4000	0.249
8	×	0.5	×	2000	0.0934
			×	4000	0.0934

外径 (mm)	×	厚さ (mm)	×	長さ (mm)	質量 (kg/m)
8	×	0.8	×	4000	0.143
		1.0	×	2000	0.174
			×	4000	0.174
		1.2	×	4000	0.203
		1.5	×	4000	0.243
		2.0	×	4000	0.299
		2.5	×	4000	0.343
9	×	0.5	×	2000	0.106
			×	4000	0.106
		0.8	×	4000	1.163
		1.0	×	4000	0.199
		1.2	×	4000	0.233
		1.5	×	4000	0.280
		2.0	×	4000	0.349
		2.5	×	4000	0.405
		3.0	×	4000	0.448
9.53	×	0.5	×	4000	0.112
		0.889	×	4000	0.191
		1.0	×	4000	0.212
		1.2	×	4000	0.249
		1.5	×	4000	0.300
		2.0	×	4000	0.375
10	×	0.5	×	2000	0.118
			×	4000	0.118
		0.8	×	4000	0.183
		1.0	×	2000	0.224
			×	4000	0.224
		1.2	×	4000	0.263
		1.5	×	4000	0.318
		2.0	×	4000	0.399
		2.5	×	4000	0.467
		3.0	×	4000	0.523
10.5	×	1.0	×	4000	0.237
		1.2	×	4000	0.278
		1.5	×	4000	0.336
		1.7	×	4000	0.373

シームレス継目無：鋼管（JIS G3459）

SUS 304

外径 (mm)	×	厚さ (mm)	×	長さ (mm)	質量 (kg/m)
10.5	×	2.0	×	4000	0.423
		2.4	×	4000	0.484
11	×	0.5	×	4000	0.131
		0.8	×	4000	0.203
		1.0	×	4000	0.249
		1.5	×	4000	0.355
		2.0	×	4000	0.448
		3.0	×	4000	0.598
12	×	0.5	×	2000	0.143
			×	4000	0.143
		0.8	×	4000	0.223
		1.0	×	2000	0.274
			×	4000	0.274
		1.2	×	4000	0.323
		1.5	×	4000	0.392
		2.0	×	4000	0.498
		2.5	×	4000	0.592
		3.0	×	4000	0.673
12.7	×	0.5	×	4000	0.152
		0.89	×	4000	0.262
		1.0	×	4000	0.291
		1.2	×	4000	0.344
		1.5	×	4000	0.418
		1.65	×	4000	0.454
		2.0	×	4000	0.533
13	×	0.5	×	2000	0.156
			×	4000	0.156
		0.8	×	4000	0.243
		1.0	×	4000	0.299
		1.2	×	4000	0.353
		1.5	×	4000	0.430
		2.0	×	4000	0.548
		2.5	×	4000	0.654
		3.0	×	4000	0.747
		13.8	×	1.0	×

外径 (mm)	×	厚さ (mm)	×	長さ (mm)	質量 (kg/m)
13.8	×	1.2	×	4000	0.377
		1.65	×	4000	0.499
			×	5500	0.499
		2.0	×	4000	0.588
			×	5500	0.588
		2.2	×	4000	0.636
			×	5500	0.636
		3.0	×	4000	0.807
			×	5500	0.807
14	×	0.5	×	2000	0.168
		0.8	×	4000	0.263
		1.0	×	4000	0.324
		1.5	×	4000	0.467
		2.0	×	4000	0.598
		2.5	×	4000	0.716
		3.0	×	4000	0.822
		15	×	0.5	×
	×			4000	0.181
1.0	×			4000	0.349
1.2	×			4000	0.413
1.5	×			4000	0.504
2.0	×			4000	0.648
2.5	×			4000	0.778
3.0	×			4000	0.897
4.0	×			4000	1.1
15.9	×			0.89	×
16	×	0.5	×	2000	0.193
		0.8	×	4000	0.303
		1.0	×	4000	0.674
		1.2	×	4000	0.442
		1.5	×	4000	0.542
		2.0	×	4000	0.697
			×	5000	0.697
		2.5	×	4000	0.841
		3.0	×	4000	0.971
4.0	×	4000	1.2		

シームレス継目無：鋼管（JIS G3459）

SUS 304

外径 (mm)		厚さ (mm)		長さ (mm)	質量 (kg/m)
17	×	0.5	×	2000	0.206
		0.8	×	4000	0.323
		1.0	×	4000	0.399
		1.5	×	4000	0.579
17.3	×	1.0	×	4000	0.406
		1.2	×	4000	0.481
		1.65	×	4000	0.643
			×	5500	0.643
		2.0	×	4000	0.762
			×	5000	0.762
			×	5500	0.762
			2.3	×	4000
		×		5000	0.859
			×	5500	0.859
			3.2	×	4000
		×		5000	1.12
×	5500	1.12			
18	×	0.5	×	2000	0.218
		0.8	×	4000	0.343
		1.0	×	4000	0.423
		1.2	×	4000	0.502
		1.5	×	4000	0.617
		2.0	×	4000	0.797
		2.5	×	4000	0.965
		3.0	×	4000	1.12
		4.0	×	4000	1.39
		19	×	0.5	×
0.8	×			4000	0.363
1.0	×			4000	0.448
1.2	×			4000	0.532
1.5	×			4000	0.654
2.0	×			4000	0.847
2.5	×			4000	1.03
3.0	×			4000	1.20
4.0	×			4000	1.49

外径 (mm)		厚さ (mm)		長さ (mm)	質量 (kg/m)			
20	×	0.5	×	4000	0.243			
		0.8	×	4000	0.383			
		1.0	×	4000	0.473			
		1.5	×	4000	0.691			
		2.0	×	4000	0.897			
		2.5	×	4000	1.09			
		3.0	×	4000	1.27			
		4.0	×	4000	1.59			
		5.0	×	4000	1.87			
		21.7	×	1.2	×	4000	0.613	
				1.65	×	4000	0.824	
					×	5500	0.824	
2.1	×				4000	1.03		
			×	5000	1.03			
			×	5500	1.03			
			×	6000	1.03			
			2.5	×	8L	1.20		
			×	4000	1.20			
			×	5000	1.20			
			×	5500	1.20			
			×	6000	1.20			
			2.8	×	8L	1.32	1.32	
						×	4000	1.32
						×	5000	1.32
						×	5500	1.32
						×	6000	1.32
						3.7	×	8L
			×	4000	1.66			
			×	5000	1.66			
			×	5500	1.66			
			×	6000	1.66			
			4.7	×	4000	1.99		
				×	5500	1.99		
				×	6000	1.99		
			7.5	×	4000	2.65		
				22	×	0.5	×	2000

シームレス継目無：鋼管（JIS G3459）

SUS 304

外径 (mm)	×	厚さ (mm)	×	長さ (mm)	質量 (kg/m)
22	×	0.8	×	4000	0.422
		1.0	×	4000	0.523
		1.5	×	4000	0.766
		2.0	×	4000	0.996
		2.5	×	4000	1.21
		3.0	×	4000	1.42
		4.0	×	4000	1.79
		4.5	×	4000	1.96
23	×	1.0	×	4000	0.548
		1.5	×	4000	0.803
		2.0	×	4000	1.05
		3.0	×	4000	1.49
24	×	1.0	×	4000	0.573
		2.0	×	4000	1.10
		4.0	×	4000	1.99
25	×	0.5	×	2000	0.305
		1.0	×	4000	0.598
		1.5	×	4000	0.878
		2.0	×	4000	1.15
			×	6000	1.15
			×	8020	1.15
		2.5	×	4000	1.40
			×	8020	1.40
		3.0	×	4000	1.64
		4.0	×	4000	2.09
		5.0	×	4000	2.49
			×	8020	2.49
		5.5	×	4000	2.67
		6.0	×	4000	2.84
			×	8020	2.84
25.4	×	1.2	×	4000	0.723
		1.5	×	4000	0.893
		2.0	×	4000	1.17
			×	6000	1.17
		2.5	×	4000	1.43
		3.0	×	4000	1.67

外径 (mm)	×	厚さ (mm)	×	長さ (mm)	質量 (kg/m)
25.4	×	3.5	×	4000	1.91
		4.0	×	4000	2.13
		4.5	×	4000	2.34
27.2	×	1.2	×	4000	0.777
		1.65	×	4000	1.05
			×	5000	1.05
			×	5500	1.05
		2.1	×	4000	1.31
			×	5000	1.31
			×	5500	1.31
			×	6000	1.31
		2.5	×	8L	1.54
			×	4000	1.54
			×	5000	1.54
			×	5500	1.54
			×	6000	1.54
		2.9	×	8L	1.76
			×	4000	1.76
			×	5000	1.76
			×	5500	1.76
			×	6000	1.76
		3.9	×	8L	2.26
			×	4000	2.26
			×	5500	2.26
			×	6000	2.26
		4.5	×	4000	2.54
		5.5	×	4000	2.97
			×	5500	2.97
			×	6000	2.97
		7.8	×	4000	3.77
			×	8000	3.77
28	×	1.0	×	4000	0.673
		1.5	×	4000	0.990
		2.0	×	4000	1.30
		3.0	×	4000	1.87
		4.0	×	4000	2.39

シームレス継目無：鋼管（JIS G3459）

SUS 304

外径 (mm)	×	厚さ (mm)	×	長さ (mm)	質量 (kg/m)			
28	×	5.0	×	4000	2.86			
		6.5		4000	3.48			
		7.5		4000	3.83			
30	×	1.0	×	4000	0.722			
		1.5		4000	1.06			
		2.0		4000	1.39			
		2.5		4000	1.71			
		3.0		4000	2.02			
		3.5		4000	2.31			
		4.0		4000	2.59			
		5.0		4000	3.11			
		6.0		4000	3.59			
		8.0		4000	4.38			
		32		×	1.0	×	4000	0.722
1.2	4000		0.921					
1.5	4000		1.14					
2.0	4000		1.49					
3.0	4000		2.17					
3.5	4000		2.48					
	8010		2.48					
4.0	4000		2.79					
5.0	4000		3.36					
6.0	4000		3.89					
7.0	4000		4.36					
8.0	4000		4.78					
34	×		1.0		×		4000	0.747
			1.2				4000	0.980
		1.65	4000	1.33				
			5000	1.33				
			5500	1.33				
		2.0	4000	1.59				
			6000	1.59				
		2.5	4000	1.96				
			6000	1.96				
		2.8	8L	2.18				
			4000	2.18				

外径 (mm)	×	厚さ (mm)	×	長さ (mm)	質量 (kg/m)			
34	×	2.8	×	5500	2.18			
				6000	2.18			
		3.0		8L	2.32			
				4000	2.32			
				5000	2.32			
				5500	2.32			
				6000	2.32			
		3.4		4000	2.59			
				5000	2.59			
				5500	2.59			
				6000	2.59			
	8000	2.59						
	4.0	4000	2.99					
	4.5	8L	3.31					
		4000	3.31					
		5500	3.31					
		6000	3.31					
	5.0	4000	3.61					
		6000	3.61					
	6.4	8L	4.40					
		4000	4.40					
		5500	4.40					
		6000	4.40					
	9.1	4000	5.64					
		8010	5.64					
35	×	5.0	×	4000	3.74			
36	×	3.0	×	4000	2.47			
		4.0		6000	2.47			
		5.0		4000	3.19			
		5.5		4000	3.86			
				5L	3.86			
		6.5		4000	4.18			
				8020	4.18			
		8.0		4000	5.58			
		9.0		4000	6.05			
		38		×	1.0	×	4000	0.922

シームレス継目無：鋼管（JIS G3459）

SUS 304

外径 (mm)	×	厚さ (mm)	×	長さ (mm)	質量 (kg/m)
38	×	1.2	×	4000	1.10
		1.5	×	4000	1.36
		2.0	×	4000	1.79
		3.0	×	4000	2.62
			×	6000	2.62
		3.5	×	4000	3.01
		4.0	×	4000	3.39
			×	8L	3.39
			×	4000	3.39
		5.0	×	4000	4.11
		5.5	×	4000	4.45
		6.0	×	4000	4.78
		7.0	×	4000	5.41
		8.0	×	8L	5.98
			×	4000	5.98
		9.0	×	4000	6.50
40	×	1.0	×	4000	0.971
		1.5	×	4000	1.44
		2.0	×	4000	1.89
			×	8020	1.89
		3.0	×	8L	2.77
			×	4000	2.77
		3.5	×	4000	3.18
		4.0	×	4000	3.59
		5.0	×	4000	4.36
		6.0	×	4000	5.08
		7.0	×	8L	5.75
			×	4000	5.75
		8.0	×	4000	6.38
			×	8020	6.38
		9.0	×	8L	6.95
			×	4000	6.95
		10.0	×	4000	7.47
41	×	8.5	×	4L	6.88
42	×	10.0	×	4000	7.97
			×	8000	7.97

外径 (mm)	×	厚さ (mm)	×	長さ (mm)	質量 (kg/m)
42.7	×	1.65	×	4000	1.69
			×	5500	1.69
		2.0	×	4000	2.03
		2.8	×	8L	2.03
			×	4000	2.03
			×	5500	2.03
			×	6000	2.03
		3.0	×	8L	2.97
			×	4000	2.97
			×	5500	2.97
			×	6000	2.97
		3.6	×	8L	3.51
			×	4000	3.51
			×	5500	3.51
			×	6000	3.51
		4.0	×	8L	3.86
		4.5	×	8L	4.28
		4.9	×	8L	4.61
			×	4000	4.61
			×	5500	4.61
			×	6000	4.61
			×	8000	4.61
		5.5	×	8L	5.10
		6.0	×	8L	5.49
		6.4	×	8L	5.79
			×	4000	5.79
			×	5500	5.79
			×	6000	5.79
		7.0	×	8L	6.23
			×	8000	6.23
		8.0	×	8L	6.92
		9.5	×	8L	7.86
			×	4000	7.86
44	×	5.0	×	5L	4.86
45	×	2.0	×	4000	2.14
		3.0	×	8L	3.14

シームレス継目無：鋼管（JIS G3459）

SUS 304

外径 (mm)	×	厚さ (mm)	×	長さ (mm)	質量 (kg/m)
45	×	3.0	×	4000	3.14
		4.0	×	4000	4.09
		5.0	×	8L	4.98
			×	4000	4.98
		5.5	×	8000	5.41
		6.5	×	8L	6.23
		7.0	×	8L	6.63
		8.0	×	8L	7.37
		10.0	×	8L	8.72
		11.5	×	7L	9.60
		12.5	×	6L	10.1
48.6	×	1.7	×	4000	1.99
		2.0	×	4000	2.32
		2.8	×	8L	3.19
			×	4000	3.19
			×	5500	3.19
			×	6000	3.19
			×	8000	3.19
		3.0	×	8L	3.41
			×	4000	3.41
			×	5000	3.41
			×	5500	3.41
			×	6000	3.41
			×	8000	3.41
		3.5	×	8L	3.93
			×	4000	3.93
		3.7	×	8L	4.14
			×	4000	4.14
			×	5500	4.14
			×	6000	4.14
			×	8000	4.14
		4.0	×	8L	4.44
			×	4000	4.44
		5.1	×	8L	5.53
			×	4000	5.53
			×	5500	5.53

外径 (mm)	×	厚さ (mm)	×	長さ (mm)	質量 (kg/m)
48.6	×	5.1	×	6000	5.53
			×	8000	5.53
		6.0	×	8L	6.37
			×	4000	6.37
		7.1	×	4000	7.34
			×	5500	7.34
			×	6000	7.34
			×	8000	7.34
		8.0	×	8L	8.09
		10.2	×	4000	9.76
			×	7000	9.76
50	×	7.0	×	8L	7.50
		9.0	×	8L	9.19
		12.5	×	8L	11.7
		14.0	×	8L	12.6
50.8	×	1.5	×	4000	1.84
		2.0	×	4000	2.43
		3.0	×	8L	3.57
			×	4000	3.57
		4.0	×	8L	4.66
			×	4000	4.66
		5.0	×	8L	5.70
			×	4000	5.70
		5.5	×	8L	6.21
		6.0	×	8L	6.70
			×	4000	6.70
		7.0	×	8L	7.64
			×	4000	7.64
		8.0	×	8L	8.53
		10.0	×	8L	10.2
			×	4000	10.2
52	×	6.0	×	8L	6.88
		7.5	×	8L	8.31
		10.0	×	8L	10.5
		14.0	×	5L	13.3
54	×	2.0	×	4000	2.59

シームレス継目無：鋼管（JIS G3459）

SUS 304

外径 (mm)	×	厚さ (mm)	×	長さ (mm)	質量 (kg/m)
54	×	3.0	×	4000	3.81
		3.5	×	8L	4.40
		4.0	×	4000	4.98
		5.0	×	8L	6.10
		6.0	×	8L	7.17
		9.0	×	8L	10.1
55	×	2.0	×	4000	2.64
		5.0	×	8L	6.23
		5.5	×	8L	6.78
		8.0	×	8L	9.37
56	×	3.0	×	8L	3.96
		×	×	4000	3.96
		8.0	×	8L	9.57
		10.0	×	8L	11.5
		14.0	×	6L	14.6
57	×	2.0	×	4000	2.74
		3.0	×	4000	4.04
		4.0	×	8000	5.28
		6.0	×	8000	7.62
		7.5	×	8L	9.25
60	×	7.0	×	8000	9.24
		12.5	×	7L	14.8
		15.0	×	5L	16.8
		17.5	×	4L	18.5
60.5	×	1.65	×	4000	2.42
		2.0	×	4000	2.91
		2.8	×	8L	4.02
		×	×	4000	4.02
		×	×	5500	4.02
		×	×	6000	4.02
		3.0	×	8L	4.30
		×	×	4000	4.30
		×	×	5500	4.30
		×	×	6000	4.30

外径 (mm)	×	厚さ (mm)	×	長さ (mm)	質量 (kg/m)
60.5	×	3.0	×	8000	4.30
		3.5	×	8L	4.97
		×	×	4000	4.97
		×	×	5500	4.97
		×	×	6000	4.97
		×	×	8000	4.97
		3.9	×	8L	5.50
		×	×	4000	5.50
		×	×	5500	5.50
		×	×	6000	5.50
		4.9	×	4000	6.79
		×	×	6000	6.79
		×	×	8000	6.79
		5.5	×	8L	7.54
		×	×	4000	7.54
		63	×	×	×
×	×			6000	7.54
×	×			8000	7.54
6.0	×			8L	8.15
×	×			4000	8.15
8.7	×			8L	11.2
×	×			4000	11.2
×	×			5500	11.2
×	×			6000	11.2
10.0	×			8L	12.6
63.5	×	11.1	×	8L	13.7
		×	×	4000	13.7
		8.0	×	8L	11.0
		×	×	8000	11.0
		11.5	×	7L	14.8
		15.5	×	5L	18.3
63.5	×	17.5	×	5L	19.8
		2.0	×	4000	3.06
		3.0	×	4000	4.52
		4.0	×	8L	5.93
		5.0	×	8L	7.29

シームレス継目無：鋼管（JIS G3459）

SUS 304

外径 (mm)	×	厚さ (mm)	×	長さ (mm)	質量 (kg/m)
63.5	×	6.5	×	8L	9.23
		10.0	×	7L	13.3
65	×	2.0	×	4000	3.14
		3.0	×	8L	4.63
			×	4000	4.63
			×	8020	4.63
		6.5	×	8L	5.36
		4.0	×	8000	6.08
		5.0	×	8L	7.47
		6.0	×	8L	8.82
			×	8000	8.82
		8.5	×	8L	12.0
		10.0	×	8L	13.7
		12.0	×	6L	15.8
15.0	×	5L	18.7		
18.0	×	6L	21.1		
20.0	×	6L	22.4		
68	×	6.0	×	8L	9.27
		8.0	×	8L	12.0
70	×	3.0	×	4000	5.01
		4.0	×	8L	6.58
		5.0	×	8L	8.10
		6.5	×	8L	10.3
		8.0	×	8L	12.4
		10.0	×	8L	14.9
		12.5	×	8L	17.9
		15.0	×	7L	20.6
		20.0	×	6L	24.9
		71	×	13.0	×
15.0	×			7L	20.9
17.5	×			6L	23.3
73	×	5.0	×	8L	8.47
			×	8000	8.47
		7.0	×	8L	11.5
		10.0	×	8L	15.7
		12.5	×	8L	18.8

外径 (mm)	×	厚さ (mm)	×	長さ (mm)	質量 (kg/m)
73	×	15.0	×	7L	21.7
76.3	×	2.1	×	4000	3.88
		3.0	×	8L	5.48
			×	4000	5.48
			×	5500	5.48
			×	6000	5.48
			×	8000	5.48
		3.5	×	8L	6.35
			×	4000	6.35
			×	5500	6.35
			×	6000	6.35
			×	8000	6.35
		4.0	×	8L	7.20
5.2	×	8L	9.21		
	×	4000	9.21		
	×	5500	9.21		
	×	6000	9.21		
	×	8000	9.21		
6.0	×	8L	10.5		
	×	4000	10.5		
7.0	×	8L	12.1		
	×	4000	12.1		
	×	5500	12.1		
	×	6000	12.1		
	×	8000	12.1		
8.0	×	8L	13.6		
9.5	×	8L	15.8		
	×	4000	15.8		
	×	5500	15.8		
10.0	×	8000	16.5		
13.5	×	7L	21.1		
15.0	×	6L	22.9		
18.0	×	5L	26.1		
20.0	×	5L	28.0		
23.0	×	5L	30.5		
80	×	3.0	×	4000	5.75

シームレス継目無：鋼管（JIS G3459）

SUS 304

外径 (mm)	×	厚さ (mm)	×	長さ (mm)	質量 (kg/m)
80	×	4.0	×	8L	7.75
		5.0	×	8L	9.34
		6.0	×	8L	11.1
		8.5	×	8000	15.1
		10.0	×	8L	17.4
		12.5	×	8L	21.0
		15.0	×	6L	24.3
		17.5	×	6L	27.2
		20.0	×	5L	29.9
		25.0	×	5L	34.3
81	×	6.0	×	8L	11.2
82.6	×	3.0	×	4000	5.95
		5.0	×	8L	9.67
83	×	8.5	×	8L	15.8
		10.0	×	8000	18.2
85	×	8.0	×	7L	15.3
		8.5	×	8L	16.2
		10.0	×	8L	18.7
		12.5	×	6L	22.6
		15.0	×	6L	26.2
		20.0	×	6L	32.4
		25.0	×	5L	37.4
89.1	×	2.1	×	4000	4.55
		3.0	×	8L	6.43
			×	4000	6.43
			×	5500	6.43
			×	6000	6.43
		4.0	×	8L	8.48
			×	4000	8.48
			×	5500	8.48
			×	6000	8.48
			×	8000	8.48
		5.0	×	8L	10.5
			×	4000	10.5
		5.5	×	7L	11.5
			×	4000	11.5

外径 (mm)	×	厚さ (mm)	×	長さ (mm)	質量 (kg/m)
89.1	×	5.5	×	5500	11.5
			×	6000	11.5
			×	8000	11.5
		6.6	×	8L	13.6
			×	4000	13.6
		7.6	×	8L	15.4
			×	4000	15.4
			×	5500	15.4
			×	6000	15.4
		11.1	×	7L	21.6
			×	4000	21.6
			×	5500	21.6
		15.2	×	6L	28.0
90	×	10.0	×	7L	19.9
		13.5	×	7L	25.7
		16.0	×	6L	29.5
		20.0	×	5L	34.9
		22.5	×	5L	37.8
		25.0	×	5L	40.5
95	×	7.5	×	8L	16.3
		10.0	×	6L	21.2
		12.5	×	6L	25.7
		14.5	×	6L	29.1
		16.0	×	6L	31.5
		20.0	×	5L	37.4
		22.5	×	4L	40.6
		25.0	×	4L	43.6
100	×	10.0	×	6L	22.4
		14.5	×	5L	30.9
		17.5	×	5L	36.0
		22.0	×	4L	42.7
101.6	×	2.1	×	4000	5.20
		3.0	×	8L	7.37
			×	4000	7.37
			×	6000	7.37
		4.0	×	8L	9.72

シームレス継目無：鋼管（JIS G3459）

SUS 304

外径 (mm)	×	厚さ (mm)	×	長さ (mm)	質量 (kg/m)
101.6	×	4.0	×	4000	9.72
			×	6000	9.72
		5.7	×	8L	13.6
			×	4000	13.6
			×	5000	13.6
			×	6000	13.6
		7.0	×	8L	16.5
		8.1	×	8L	18.9
			×	4000	18.9
			×	6000	18.9
		12.7	×	6L	28.1
			×	6000	28.1
		15.0	×	5L	32.4
		20.0	×	3L	40.7
		26.0	×	3L	49.0
105	×	9.0	×	5L	21.5
106	×	10.0	×	6L	23.9
		13.0	×	6L	30.1
		17.5	×	4L	38.6
		25.0	×	4L	50.4
110	×	10.0	×	6L	24.9
		13.0	×	5L	31.4
		20.0	×	4L	44.8
112	×	16.0	×	4L	38.3
		24.5	×	4L	53.4
114.3	×	2.1	×	4000	5.87
		3.0	×	8L	8.32
			×	4000	8.32
			×	5500	8.32
			×	6000	8.32
			×	8000	8.32
		4.0	×	8L	11.0
			×	4000	11.0
			×	5500	11.0
			×	6000	11.0
		5.0	×	8L	13.6

外径 (mm)	×	厚さ (mm)	×	長さ (mm)	質量 (kg/m)
114.3	×	5.0	×	4000	13.6
		6.0	×	8L	16.2
			×	4000	16.2
			×	5500	16.2
			×	6000	16.2
		7.1	×	8L	19.0
		8.6	×	8L	22.6
			×	4000	22.6
			×	5500	22.6
			×	6000	22.6
		11.1	×	6L	28.5
		13.5	×	5L	33.9
			×	4000	33.9
		17.1	×	5L	41.4
		20.0	×	4L	47.0
		25.0	×	3L	55.6
118	×	14.0	×	5L	36.3
120	×	4.0	×	8L	11.6
		5.0	×	8L	14.3
		8.0	×	7L	22.3
		10.0	×	6L	27.4
		13.0	×	5L	34.6
		15.0	×	4L	39.2
		20.0	×	4L	49.8
		25.0	×	3L	59.2
		30.0	×	5L	67.3
125	×	5.0	×	8L	15.0
		10.0	×	5L	28.6
		12.5	×	5L	35.0
		17.5	×	3L	46.9
		22.5	×	3L	57.4
		27.0	×	3L	65.9
127	×	5.0	×	8L	15.2
		6.0	×	8L	18.1
		8.0	×	6500	23.7
		10.0	×	5L	29.1

シームレス継目無：鋼管（JIS G3459）

SUS 304

外径 (mm)	×	厚さ (mm)	×	長さ (mm)	質量 (kg/m)		
130	×	12.5	×	4L	36.6		
		20.0		3L	54.8		
132	×	10.0	×	5L	30.4		
				4L	30.4		
				3L	30.4		
		30.5	×	×	3L	30.4	
					5L	30.4	
					5L	77.1	
139.8	×	2.8	×	4000	9.56		
				6000	9.56		
		3.4	×	×	4000	11.6	
					6000	11.6	
		5.0	×	×	8L	16.8	
					4000	16.8	
					5500	16.8	
					6000	16.8	
		6.6	×	×	4000	21.9	
					5500	21.9	
					6000	21.9	
					9.5	×	×
4000	30.8						
5500	30.8						
12.7	×	×	6000	30.8			
			4L	40.2			
			4L	49.1			
21.0	×	×	6L	62.1			
			3L	71.5			
			3L	71.5			
140	×	14.0	×	4L	43.9		
				4L	46.7		
				3L	59.8		
				3L	82.2		
145	×	10.0	×	5L	33.6		
				4L	42.7		
				3L	62.3		
				4L	74.7		
150	×	10.0	×	5L	34.9		

外径 (mm)	×	厚さ (mm)	×	長さ (mm)	質量 (kg/m)	
150	×	12.5	×	4L	42.8	
		15.0		4L	50.4	
152.4	×	22.0	×	5L	70.1	
				4L	89.7	
		35.0	×	×	3L	102.0
					4L	35.5
155	×	10.0	×	4L	36.1	
				3L	52.3	
				5L	67.3	
				6L	83.5	
160	×	5.0	×	6L	19.3	
				4L	37.4	
				8L	54.2	
				6000	69.7	
				4L	81.3	
				3L	97.1	
165.2	×	2.8	×	4000	11.3	
				6000	11.3	
		3.4	×	×	4000	13.7
					6000	13.7
		5.0	×	×	7L	20.0
					4000	20.0
					5500	20.0
					6000	20.0
		7.1	×	×	5L	28.0
					4000	28.0
					5500	28.0
					6000	28.0
9.3	×	×	4L	36.1		
			8L	42.3		
			4000	42.3		
			3L	53.8		
18.2	×	×	5L	66.6		
			5500	66.6		
			5500	78.2		
24.0	×	24.0	×	6L	87.3	

シームレス継目無：鋼管（JIS G3459）

SUS 304

外径 (mm)	×	厚さ (mm)	×	長さ (mm)	質量 (kg/m)
165.2	×	27.0	×	4L	92.9
		30.0	×	4L	101.0
170	×	10.0	×	6L	39.9
		15.0	×	7L	57.9
		20.0	×	6L	74.7
		25.0	×	5L	90.3
175	×	10.0	×	6L	41.1
		15.0	×	8000	59.8
180	×	10.0	×	6000	42.3
		15.0	×	6000	61.7
		17.5	×	7L	70.8
		20.0	×	6000	79.7
		26.5	×	6L	101.0
		27.5	×	6L	104.0
		30.0	×	4L	112.0
185	×	10.0	×	5L	43.6
		15.0	×	6L	63.5
190	×	15.0	×	6L	65.4
		20.0	×	5L	84.7
		28.0	×	4L	110.0
		30.0	×	3L	120.0
190.7	×	10.0	×	7000	45.0
200	×	10.0	×	6L	47.3
		15.0	×	5L	69.1
		20.0	×	4L	89.7
		25.0	×	4L	109.0
		28.0	×	8L	120.0
		30.0	×	4000	127.0
212	×	21.0	×	3L	99.9
		41.0	×	2L	175.0
216.3	×	2.8	×	4000	14.9
			×	6000	14.9
		4.0	×	4000	21.2
			×	6000	21.2
		6.5	×	4000	34.0
			×	5500	34.0

外径 (mm)	×	厚さ (mm)	×	長さ (mm)	質量 (kg/m)
216.3	×	6.5	×	8000	34.0
		8.2	×	5500	42.5
			×	8000	42.5
		10.3	×	8000	52.9
		12.7	×	5L	64.4
			×	5500	64.4
			×	7000	64.4
		18.2	×	5L	89.8
			×	5000	89.8
		23.0	×	4000	111.0
			×	4700	111.0
		27.0	×	4000	127.0
		30.0	×	3L	139.0
224	×	42.0	×	2L	190.0
232	×	16.0	×	5L	86.1
		21.0	×	4L	110.0
236	×	23.0	×	3L	122.0
		43.0	×	2L	207.0
250	×	25.0	×	2L	140.0
		30.0	×	2L	164.0
260	×	28.0	×	5L	162.0
267.4	×	4.0	×	4000	26.2
			×	6000	26.2
		6.5	×	8L	42.2
		9.3	×	6000	59.8
			×	8000	59.8
		15.1	×	8000	94.9
		18.2	×	8L	113.0
		21.4	×	5L	131.0
			×	6000	131.0
		28.6	×	5L	170.0
			×	6000	170.0
318.5	×	4.5	×	4000	35.2
			×	6000	35.2
		6.5	×	6L	50.5
		10.3	×	7L	79.1

