

ステンレス冷延鋼板 (JIS G4305)

SUS 304

仕上 (mm)	厚さ (mm)		幅 (mm)		長さ (mm)	質量 (kg/枚)
2B	0.3	×	1000	×	2000	4.76
"	0.4	×	1000	×	2000	6.34
"	0.5	×	1000	×	2000	7.93
"			1219	×	2438	11.8
"	0.6	×	1000	×	2000	9.52
"			1219	×	2438	14.1
"	0.7	×	1000	×	2000	11.1
"			1219	×	2438	16.5
"	0.8	×	1000	×	2000	12.7
"			1000	×	3000	19.0
"			1219	×	2438	18.9
"	0.9	×	1000	×	2000	14.3
"	1.0	×	1000	×	2000	15.9
"			1000	×	3000	23.8
"			1000	×	4000	31.8
"			1219	×	2438	23.6
"			1524	×	3048	36.8
"	1.2	×	1000	×	2000	19.0
"			1000	×	3000	28.5
"			1000	×	4000	38.0
"			1219	×	2438	28.3
"			1524	×	3048	44.2
"	1.5	×	1000	×	2000	23.8
"			1000	×	3000	35.7
"			1000	×	4000	47.6
"			1219	×	2438	35.4
"			1524	×	3048	55.3
"			1524	×	4000	72.5
"			1524	×	6096	111.0

SUS 304

仕上 (mm)	厚さ (mm)		幅 (mm)		長さ (mm)	質量 (kg/枚)
2B	2.0	×	1000	×	2000	31.7
"			1000	×	3000	47.6
"			1000	×	4000	63.4
"			1219	×	2438	47.1
"			1524	×	3048	73.7
"			1524	×	4000	96.7
"			1524	×	6096	147.0
"	2.5	×	1000	×	2000	39.6
"			1219	×	2438	58.9
"			1524	×	3048	92.1
"			1524	×	4000	121.0
"			1524	×	6096	184.0
"	3.0	×	1000	×	2000	47.6
"			1000	×	3000	71.4
"			1219	×	2438	70.7
"			1524	×	3048	111.0
"			1524	×	6096	221.0
"	4.0	×	1000	×	2000	63.4
"			1219	×	2438	94.3
"			1524	×	3048	147.0
"			1524	×	4000	193.0
"			1524	×	6096	295.0
"	5.0	×	1000	×	2000	79.3
"			1219	×	2438	118.0
"			1524	×	3048	184.0
"			1524	×	4000	242.0
"			1524	×	6096	368.0
"	6.0	×	1000	×	2000	95.2
"			1219	×	2438	141.0
"			1524	×	3048	221.0
"			1524	×	4000	290.0
"			1524	×	6096	442.0

ステンレス冷延鋼板 (JIS G4305)

SUS 304

仕上 (mm)	厚さ (mm)		幅 (mm)		長さ (mm)	質量 (kg/枚)
HL SPV	0.5	×	1000	×	2000	7.93
"	0.6	×	1000	×	2000	9.52
"	0.8	×	1000	×	2000	12.7
"			1000	×	3000	19.0
"			1219	×	2438	18.9
"	1.0	×	1000	×	2000	15.9
"			1000	×	3000	23.8
"			1000	×	4000	31.8
"			1219	×	2438	23.6
"			1219	×	3048	29.5
"			1219	×	4000	38.7
"			1524	×	3048	36.8
"	1.2	×	1000	×	2000	19.0
"			1000	×	3000	28.5
"			1000	×	4000	38.0
"			1219	×	2438	28.3
"			1219	×	3048	35.4
"			1219	×	4000	46.4
"			1524	×	3048	44.2
"	1.5	×	1000	×	2000	23.8
"			1000	×	3000	35.7
"			1000	×	4000	47.6
"			1219	×	2438	35.4
"			1219	×	3048	44.2
"			1219	×	4000	58.0
"			1524	×	3048	55.3

SUS 304

仕上 (mm)	厚さ (mm)		幅 (mm)		長さ (mm)	質量 (kg/枚)
HL SPV	2.0	×	1000	×	2000	31.7
"			1000	×	3000	47.6
"			1000	×	4000	63.4
"			1219	×	2438	47.1
"			1219	×	3048	58.9
"			1219	×	4000	77.3
"			1524	×	3048	73.7
"	3.0	×	1000	×	2000	47.6
"			1219	×	2438	70.7
"			1524	×	3048	111.0
BA	0.8	×	1000	×	2000	12.7
"			1219	×	2438	18.9
"	1.0	×	1000	×	2000	15.9
"			1219	×	2438	23.6
"	1.2	×	1000	×	2000	19.0
"			1219	×	2438	28.3
"	1.5	×	1000	×	2000	23.8
"			1219	×	2438	35.4

ステンレス冷延鋼板 (JIS G4305)

SUS 304

仕上 (mm)	厚さ (mm)		幅 (mm)		長さ (mm)	質量 (kg/枚)
片 #400 SPV	0.5	×	1000	×	2000	7.93
"			1219	×	2438	11.8
"	0.6	×	1000	×	2000	9.52
"			1219	×	2438	14.1
"	0.7	×	1000	×	2000	11.1
"	0.8	×	1000	×	2000	12.7
"			1000	×	3000	19.0
"			1219	×	2438	18.9
"	1.0	×	1000	×	2000	15.9
"			1000	×	3000	23.8
"			1219	×	2438	23.6
"	1.2	×	1000	×	2000	19.0
"			1000	×	3000	28.5
"			1219	×	2438	28.3
"	1.5	×	1000	×	2000	23.8
"			1000	×	3000	35.7
"			1219	×	2438	35.4
"	2.0	×	1000	×	2000	31.7
"			1000	×	3000	47.6
"			1219	×	2438	47.1
"	2.5	×	1000	×	2000	39.6
"			1219	×	2438	58.9
"			1524	×	3048	92.1
"	3.0	×	1000	×	2000	47.6
"			1000	×	3000	71.4
"			1219	×	2438	70.7
"			1524	×	3048	111.0

SUS 304

仕上 (mm)	厚さ (mm)		幅 (mm)		長さ (mm)	質量 (kg/枚)
片 #400 SPV	0.5	×	1000	×	2000	7.93
"			1219	×	2438	11.8
"	0.6	×	1000	×	2000	9.52
"			1219	×	2438	14.1
"	0.7	×	1000	×	2000	11.1
"	0.8	×	1000	×	2000	12.7
"			1000	×	3000	19.0
"			1219	×	2438	18.9
"	1.0	×	1000	×	2000	15.9
"			1000	×	3000	23.8
"			1219	×	2438	23.6
"	1.2	×	1000	×	2000	19.0
"			1000	×	3000	28.5
"			1219	×	2438	28.3
"	1.5	×	1000	×	2000	23.8
"			1000	×	3000	35.7
"			1219	×	2438	35.4
"	2.0	×	1000	×	2000	31.7
"			1000	×	3000	47.6
"			1219	×	2438	47.1
"	2.5	×	1000	×	2000	39.6
"			1219	×	2438	58.9
"			1524	×	3048	92.1
"	3.0	×	1000	×	2000	47.6
"			1000	×	3000	71.4
"			1219	×	2438	70.7
"			1524	×	3048	111.0

ステンレス冷延鋼板 (JIS G4304)

SUS 430

仕上 (mm)	厚さ (mm)	幅 (mm)	長さ (mm)	質量 (kg/枚)
2B	0.3	× 1000	× 2000	4.62
"	0.4	× 1000	× 2000	6.16
"	0.5	× 1000	× 2000	7.70
"	0.6	× 1000	× 2000	9.24
"		1219	× 2438	13.7
"	0.7	× 1000	× 2000	10.8
"	0.8	× 1000	× 2000	12.3
"		1219	× 2438	18.3
"	1.0	× 1000	× 2000	15.4
"		1000	× 3000	23.1
"		1219	× 2438	22.9
"	1.2	× 1000	× 2000	18.5
"		1219	× 2438	27.5
"	1.5	× 1000	× 2000	23.1
"		1000	× 3000	34.7
"		1219	× 2438	34.3
"	2.0	× 1000	× 2000	30.8
"		1000	× 3000	46.2
"		1219	× 2438	45.8
"	2.5	× 1000	× 2000	38.5
"	3.0	× 1000	× 2000	46.2
"		1219	× 2438	68.7

SUS 430

仕上 (mm)	厚さ (mm)	幅 (mm)	長さ (mm)	質量 (kg/枚)
BA	0.8	× 1000	× 2000	12.3
"		1219	× 2438	18.3
"	1.0	× 1000	× 2000	15.4
"		1219	× 2438	22.9
"	1.2	× 1000	× 2000	18.5
"		1219	× 2438	27.5
"	1.5	× 1000	× 2000	23.1
"		1219	× 2438	34.3
"	2.0	× 1000	× 2000	30.8
"		1219	× 2438	45.8
HL SPV	0.8	× 1000	× 2000	12.3
"	1.0	× 1000	× 2000	15.4
"	1.2	× 1000	× 2000	18.5
"	1.5	× 1000	× 2000	23.1
"	2.0	× 1000	× 2000	30.8

ステンレス冷延鋼板 (JIS G4304)

SUS 304L

仕上 (mm)	厚さ (mm)		幅 (mm)		長さ (mm)	質量 (kg/枚)
2B	0.8	×	1000	×	2000	12.7
"	1.0	×	1000	×	2000	15.9
"			1219	×	2438	23.6
"	1.2	×	1000	×	2000	19.0
"			1219	×	2438	28.3
"	1.5	×	1000	×	2000	23.8
"			1219	×	2438	35.4
"	2.0	×	1000	×	2000	31.7
"			1219	×	2438	47.1
"	3.0	×	1000	×	2000	47.6
"			1219	×	2438	70.7

SUS 316

仕上 (mm)	厚さ (mm)		幅 (mm)		長さ (mm)	質量 (kg/枚)
2B	0.5	×	1000	×	2000	7.98
"	0.6	×	1000	×	2000	9.58
"	0.8	×	1000	×	2000	12.8
"	1.0	×	1000	×	2000	16.0
"			1219	×	2438	23.7
"	1.2	×	1000	×	2000	19.2
"			1219	×	2438	28.5
"	1.5	×	1000	×	2000	23.9
"			1219	×	2438	35.6
"	2.0	×	1000	×	2000	31.9
"			1219	×	2438	47.4
"	3.0	×	1000	×	2000	47.9
"			1219	×	2438	71.1
"			1524	×	3048	111.0
"	4.0	×	1000	×	2000	63.8
"			1219	×	2438	94.9
"			1524	×	3048	148.0
"	5.0	×	1000	×	2000	79.8
"			1219	×	2438	119.0
"			1524	×	3048	185.0
"	6.0	×	1000	×	2000	95.8
"			1219	×	2438	142.0
"			1524	×	3048	222.0

