

ステンレス冷延鋼板 (JIS G4305)

SUS 304

仕上	厚さ (mm)	幅 (mm)	長さ (mm)	質量 (kg/枚)
2B	0.3	× 1000	× 2000	4.76
〃	0.4	× 1000	× 2000	6.34
〃	0.5	× 1000	× 2000	7.93
〃		1219	× 2438	11.8
〃	0.6	× 1000	× 2000	9.52
〃		1219	× 2438	14.1
〃	0.7	× 1000	× 2000	11.1
〃		1219	× 2438	16.5
〃	0.8	× 1000	× 2000	12.7
〃		1000	× 3000	19.0
〃		1219	× 2438	18.9
〃	0.9	× 1000	× 2000	14.3
〃	1.0	× 1000	× 2000	15.9
〃		1000	× 3000	23.8
〃		1000	× 4000	31.8
〃		1219	× 2438	23.6
〃		1524	× 3048	36.8
〃	1.2	× 1000	× 2000	19.0
〃		1000	× 3000	28.5
〃		1000	× 4000	38.0
〃		1219	× 2438	28.3
〃		1524	× 3048	44.2
〃	1.5	× 1000	× 2000	23.8
〃		1000	× 3000	35.7
〃		1000	× 4000	47.6
〃		1219	× 2438	35.4
〃		1524	× 3048	55.3
〃		1524	× 4000	72.5
〃		1524	× 6096	111

SUS 304

仕上	厚さ (mm)	幅 (mm)	長さ (mm)	質量 (kg/枚)
2B	2.0	× 1000	× 2000	31.7
〃		1000	× 3000	47.6
〃		1000	× 4000	63.4
〃		1219	× 2438	47.1
〃		1524	× 3048	73.7
〃		1524	× 4000	96.7
〃		1524	× 6096	147
〃	2.5	× 1000	× 2000	39.6
〃		1219	× 2438	58.9
〃		1524	× 3048	92.1
〃		1524	× 4000	121
〃		1524	× 6096	184
〃	3.0	× 1000	× 2000	47.6
〃		1000	× 3000	71.4
〃		1219	× 2438	70.7
〃		1524	× 3048	111
〃		1524	× 6096	221
〃	4.0	× 1000	× 2000	63.4
〃		1219	× 2438	94.3
〃		1524	× 3048	147
〃		1524	× 4000	193
〃		1524	× 6096	295
〃	5.0	× 1000	× 2000	79.3
〃		1219	× 2438	118
〃		1524	× 3048	184
〃		1524	× 4000	242
〃		1524	× 6096	368
〃	6.0	× 1000	× 2000	95.2
〃		1219	× 2438	141
〃		1524	× 3048	221
〃		1524	× 4000	290
〃		1524	× 6096	442

ステンレス冷延鋼板 (JIS G4305)

SUS 304

仕上	厚さ (mm)	幅 (mm)	長さ (mm)	質量 (kg/枚)
HL SPV	0.5	×	1000 × 2000	7.93
"	0.6	×	1000 × 2000	9.52
"	0.8	×	1000 × 2000	12.7
"		1000 × 3000	19.0	
"		1219 × 2438	18.9	
"	1.0	×	1000 × 2000	15.9
"		1000 × 3000	23.8	
"		1000 × 4000	31.8	
"		1219 × 2438	23.6	
"		1219 × 3048	29.5	
"		1219 × 4000	38.7	
"		1524 × 3048	36.8	
"	1.2	×	1000 × 2000	19.0
"		1000 × 3000	28.5	
"		1000 × 4000	38.0	
"		1219 × 2438	28.3	
"		1219 × 3048	35.4	
"		1219 × 4000	46.4	
"		1524 × 3048	44.2	
"	1.5	×	1000 × 2000	23.8
"		1000 × 3000	35.7	
"		1000 × 4000	47.6	
"		1219 × 2438	35.4	
"		1219 × 3048	44.2	
"		1219 × 4000	58.0	
"		1524 × 3048	55.3	

SUS 304

仕上	厚さ (mm)	幅 (mm)	長さ (mm)	質量 (kg/枚)
HL SPV	2.0	×	1000 × 2000	31.7
"		1000 × 3000	47.6	
"		1000 × 4000	63.4	
"		1219 × 2438	47.1	
"		1219 × 3048	58.9	
"		1219 × 4000	77.3	
"		1524 × 3048	73.7	
"	3.0	×	1000 × 2000	47.6
"		1219 × 2438	70.7	
"		1524 × 3048	111	
BA	0.8	×	1000 × 2000	12.7
"		1219 × 2438	18.9	
"	1.0	×	1000 × 2000	15.9
"		1219 × 2438	23.6	
"	1.2	×	1000 × 2000	19.0
"		1000 × 3000	28.5	
"		1219 × 2438	28.3	
"	1.5	×	1000 × 2000	23.8
"		1000 × 3000	35.7	
"		1219 × 2438	35.4	
"	2.0	×	1000 × 2000	31.7
"		1000 × 3000	47.6	
"		1219 × 2438	47.1	
"	2.5	×	1000 × 2000	39.6
"		1219 × 2438	58.9	
"		1524 × 3048	92.1	
"	3.0	×	1000 × 2000	47.6
"		1000 × 3000	71.4	
"		1219 × 2438	70.7	
"		1524 × 3048	111	

ステンレス冷延鋼板 (JIS G4305)

SUS 304

仕上	厚さ (mm)	幅 (mm)	長さ (mm)	質量 (kg/枚)
片#400 SPV	0.5	×	1000 × 2000	7.93
"		1219 × 2438	11.8	
"	0.6	×	1000 × 2000	9.52
"		1219 × 2438	14.1	
"	0.7	×	1000 × 2000	11.1
"	0.8	×	1000 × 2000	12.7
"		1000 × 3000	19.0	
"		1219 × 2438	18.9	
"	1.0	×	1000 × 2000	15.9
"		1000 × 3000	23.8	
"		1219 × 2438	23.6	
"	1.2	×	1000 × 2000	19.0
"		1000 × 3000	28.5	
"		1219 × 2438	28.3	
"	1.5	×	1000 × 2000	23.8
"		1000 × 3000	35.7	
"		1219 × 2438	35.4	
"	2.0	×	1000 × 2000	31.7
"		1000 × 3000	47.6	
"		1219 × 2438	47.1	
"	2.5	×	1000 × 2000	39.6
"		1219 × 2438	58.9	
"		1524 × 3048	92.1	
"	3.0	×	1000 × 2000	47.6
"		1000 × 3000	71.4	
"		1219 × 2438	70.7	
"		1524 × 3048	111	

SUS 304

仕上	厚さ (mm)	幅 (mm)	長さ (mm)	質量 (kg/枚)
片#400 SPH	0.5	×	1000 × 2000	7.93
"		1219 × 2438	11.8	
"	0.6	×	1000 × 2000	9.52
"		1219 × 2438	14.1	
"	0.7	×	1000 × 2000	11.1
"	0.8	×	1000 × 2000	12.7
"		1000 × 3000	19.0	
"		1219 × 2438	18.9	
"	1.0	×	1000 × 2000	15.9
"		1000 × 3000	23.8	
"		1219 × 2438	23.6	
"	1.2	×	1000 × 2000	19.0
"		1000 × 3000	28.5	
"		1219 × 2438	28.3	
"	1.5	×	1000 × 2000	23.8
"		1000 × 3000	35.7	
"		1219 × 2438	35.4	
"	2.0	×	1000 × 2000	31.7
"		1000 × 3000	47.6	
"		1219 × 2438	47.1	
"	2.5	×	1000 × 2000	39.6
"		1219 × 2438	58.9	
"		1524 × 3048	92.1	
"	3.0	×	1000 × 2000	47.6
"		1000 × 3000	71.4	
"		1219 × 2438	70.7	
"		1524 × 3048	111	

ステンレス冷延鋼板 (JIS G4305)

SUS 430

仕上	厚さ (mm)	幅 (mm)	長さ (mm)	質量 (kg/枚)
2B	0.3	×	1000 × 2000	4.62
〃	0.4	×	1000 × 2000	6.16
〃	0.5	×	1000 × 2000	7.70
〃	0.6	×	1000 × 2000	9.24
〃		1219 × 2438		13.7
〃	0.7	×	1000 × 2000	10.8
〃	0.8	×	1000 × 2000	12.3
〃		1219 × 2438		18.3
〃	1.0	×	1000 × 2000	15.4
〃		1000 × 3000		23.1
〃		1219 × 2438		22.9
〃	1.2	×	1000 × 2000	18.5
〃		1219 × 2438		27.5
〃	1.5	×	1000 × 2000	23.1
〃		1219 × 2438		34.3
〃	2.0	×	1000 × 2000	30.8
〃		1219 × 2438		45.8
HL SPV	0.8	×	1000 × 2000	12.3
〃	1.0	×	1000 × 2000	15.4
〃	1.2	×	1000 × 2000	18.5
〃	1.5	×	1000 × 2000	23.1
〃	2.0	×	1000 × 2000	30.8
〃		1000 × 3000		46.2
〃		1219 × 2438		45.8
〃	2.5	×	1000 × 2000	38.5
〃	3.0	×	1000 × 2000	46.2
〃		1219 × 2438		68.7

SUS 430

仕上	厚さ (mm)	幅 (mm)	長さ (mm)	質量 (kg/枚)
BA	0.8	×	1000 × 2000	12.3
〃		1219 × 2438		18.3
〃	1.0	×	1000 × 2000	15.4
〃		1219 × 2438		22.9
〃	1.2	×	1000 × 2000	18.5
〃		1219 × 2438		27.5
〃	1.5	×	1000 × 2000	23.1
〃		1219 × 2438		34.3
〃	2.0	×	1000 × 2000	30.8

SUS 304L

仕上	厚さ (mm)	幅 (mm)	長さ (mm)	質量 (kg/枚)
2B	0.8	×	1000 × 2000	12.7
〃	1.0	×	1000 × 2000	15.9
〃		1219 × 2438		23.6
〃	1.2	×	1000 × 2000	19.0
〃		1219 × 2438		28.3
〃	1.5	×	1000 × 2000	23.8
〃		1219 × 2438		35.4
〃	2.0	×	1000 × 2000	31.7
〃		1219 × 2438		47.1
〃	3.0	×	1000 × 2000	47.6
〃		1219 × 2438		70.7

SUS 316

仕上	厚さ (mm)	幅 (mm)	長さ (mm)	質量 (kg/枚)
2B	0.5	×	1000 × 2000	7.98
〃	0.6	×	1000 × 2000	9.58
〃	0.8	×	1000 × 2000	12.8
〃	1.0	×	1000 × 2000	16.0
〃		1219 × 2438		23.7
〃	1.2	×	1000 × 2000	19.2
〃		1219 × 2438		28.5
〃	1.5	×	1000 × 2000	23.9
〃		1219 × 2438		35.6
〃	2.0	×	1000 × 2000	31.9
〃		1219 × 2438		47.4
〃	3.0	×	1000 × 2000	47.9
〃		1219 × 2438		71.1
〃		1524 × 3048		111
〃	4.0	×	1000 × 2000	63.8
〃		1219 × 2438		94.9
〃		1524 × 3048		148
〃	5.0	×	1000 × 2000	79.8
〃		1219 × 2438		119
〃		1524 × 3048		185
〃	6.0	×	1000 × 2000	95.8
〃		1219 × 2438		142
〃		1524 × 3048		222

ステンレス冷延鋼板 (JIS G4305)

ステンレス冷延鋼板 (JIS G4304)

SUS 316L

仕上	厚さ (mm)	幅 (mm)	長さ (mm)	質量 (kg/枚)
2B	0.8	×	1000 × 2000	12.8
〃	1.0	×	1000 × 2000	16.0
〃		1219	×	2438
〃	1.2	×	1000 × 2000	19.2
〃		1219	×	2438
〃	1.5	×	1000 × 2000	23.9
〃		1219	×	2438
〃	2.0	×	1000 × 2000	31.9
〃		1219	×	2438
〃	3.0	×	1000 × 2000	47.9
〃		1219	×	2438
〃		1524	×	3048
〃	4.0	×	1000 × 2000	63.8
〃		1219	×	2438
〃		1524	×	3048
〃	5.0	×	1000 × 2000	79.8
〃		1219	×	2438
〃		1524	×	3048
〃	6.0	×	1000 × 2000	95.8
〃		1219	×	2438
〃		1524	×	3048